



Safety Data Sheet

Issue Date: 24 January 2023
MM-CR2023PL

Section 1: Identification

Product Description: Callus Remover –

Product Type: Finished Good

Recommended Use: Topical personal care product for sole of the foot

Uses Advised Against: All other uses. Do not use on any part of body other than bottom of the foot.

Details of the supplier of the safety data sheet

Supplier Address



Meticulous Manicurist LLC
28028 N 151st Ave
Surprise, AZ 85387

Emergency Telephone Number 1-734-944-9363

Company Phone Number

Emergency Telephone (24 hr) 1-734-944-9363

2. HAZARDS IDENTIFICATION

	HMIS	GHS Pictograms	Viscous caustic solution. Causes severe burns to skin, eyes, respiratory tract, and gastrointestinal tract. Material is intentionally destructive to all body tissues and requires handling with caution.
Health	3	 	
Flammability	0		
Reactivity	0		
Signal Word	Danger		

Hazard Statements	H302: Harmful if swallowed H314: Causes severe skin burns and eye damage.
Precautionary Statements	P102: Keep out of reach of children P260: Do not breathe dust/fumes/gas/mist/vapors/spray P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection.

Toxicity	No toxicity data is available for this product.			
Primary Routes of Entry	<u>Inhalation</u>	<u>Skin</u>	<u>Eyes</u>	<u>Ingestion</u>
	X	X	X	X
Signs/Symptoms of Exposure	Inhalation	Irritation of mucous membranes, irritation of upper respiratory tract.		
	Skin	Severe corrosion of skin from prolonged contact with product.		
	Eyes	May cause severe damage. Extent of damage depends on duration of contact.		
	Ingestion	Will cause severe burns to mouth, throat and stomach, nausea, and vomiting.		



Issue Date: 24 January 2023
MM-CR2023PL

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Exposure Limits in Air (mg/m ³)			Wt. %
		OSHA PEL	ACGIH TLV	NIOSH IDLH	
Potassium hydroxide	1310-58-3	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	< 12%

This product does not contain additional hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200. Additional materials contained within this formulation are not hazardous and are a proprietary trade secret.

4. FIRST AID MEASURES

Inhalation	Immediately remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
Skin	Wash immediately with water. Remove any contaminated clothing or shoes. Wash clothes before reuse. Get medical help if irritation persists.
Eyes	Remove contacts, if any. <i>Immediately</i> flush eyes with plenty of water for at least 15 minutes, preferably 45 minutes, holding eyelids apart to facilitate irrigation. <i>SPEED IS ESSENTIAL!</i> Get medical attention immediately.
Ingestion	Do not induce vomiting. Immediately give large amounts of water, if person is conscious (never give anything by mouth to an unconscious person). Call for medical help.

5. FIRE-FIGHTING MEASURES

Flammability Limits	Lower Explosive Limit (LEL)	NE	Upper Explosive Limit (UEL)	NE
Extinguishing Media	Water, Foam, Carbon Dioxide, Dry chemical.			
Special Fire Fighting Procedures	When this material is involved in a fire, toxic degradation product can be produced, including CO ₂ , CO. Firefighters should use a self-contained breathing apparatus. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot burning liquid.			
Hazardous Products of Combustion	Toxic degradation product can be produced, including CO ₂ , CO.			
Unusual Fire/Explosion Hazards	None.			



Issue Date: 24 January 2023
MM-CR2023PL

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures	Clean-up personnel need to wear protection against skin and eye contact hazards. Contain spilled material and transfer to secure containers. Where necessary, collect using absorbent media. Neutralize traces with dilute acid (acetic acid or vinegar). Finally rinse area with water. Attempt to keep out of sewer. Any release to the environment may be subject to federal and/or state reporting requirements. Check with appropriate agencies. Do not inhale dust from dried product.
-------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7. HANDLING AND STORAGE

Work & Hygiene Practices	Avoid prolonged contact with the product. Provide good ventilation in process area to prevent formation of vapor. Do not breath mist, vapors, or spray. Wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product. Avoid handling conditions that may lead to spills, leaks, or punctures in container.
Handling & Storage	Store in closed containers away from heat. Comply with applicable regulations. Store to minimize or avoid dust generation. Store in clean, dry locations. Avoid damaging container. Do not transfer to unmarked containers. Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore, handle empty container with care. Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate, such as strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes	Splash or safety glasses equipped with side shields or dust tight goggles. When necessary refer to U.S. OSHA 29 CFR §1910.133.
Skin/Body	Impervious gloves (if necessary, refer to U.S. OSHA 1910.138). Wear long sleeve clothing to prevent skin contact. No special body protection is required for this product under typical use and handling.
Ventilation	When working with large quantities of the product, provide adequate ventilation to meet exposure limit requirements. An exhaust filter system may be required to avoid environmental contamination. Do not inhale dust from dried product.
Respiratory	Respiratory protection is not required under conditions of normal use.
Other	When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes. Wear long sleeve clothing to prevent skin contact.



Issue Date: 24 January 2023
MM-CR2023PL

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Translucent white gel	Odor: None	Boiling Point: NA
Specific Gravity (H₂O=1): > 1	Solubility in Water: Partially	Melting Point: NA
Vapor Density (Air=1): > 1	Vapor Pressure (mm Hg): NA	Flash Point: > 523°F (273°C)
Evaporation Rate (Butyl Acetate=1): NE	Volatile Organic Compounds-voc (less exempt): NA	PH: > 13

10. STABILITY AND REACTIVITY

Stability	Stable
Hazardous Polymerization	Can occur – reacts violently with acids
Incompatible Materials	Avoid contamination with oxidizing agents, strong acids, and materials such as aluminum, tin, and zinc (and alloys of these materials).
Conditions to Avoid	Direct sunlight, extreme temperatures high or low.
Hazardous Decomposition Products	Thermal decomposition generates corrosive vapors.

11. TOXICOLOGICAL INFORMATION

This product does not contain known human carcinogens. No further information available regarding neurological or mutagenic effects, reproductive or developmental toxicity, or teratogenicity.

12. ECOLOGICAL INFORMATION

Avoid release into the environment.

No further information available regarding acute toxicity, persistence/degradability, bioaccumulative potential, mobility, or other adverse effects.

13. DISPOSAL CONSIDERATIONS

Since disposal may be subject to federal, state, or local regulations (EPA corrosive waste, aqueous form), users should consult with appropriate agencies before discharging or disposing of waste materials. RCRA status of aqueous solution: "hazardous waste-D002(corrosive waste)."

14. TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMO	Not regulated



Issue Date: 24 January 2023
MM-CR2023PL

15. REGULATORY INFORMATION

TSCA Status: All ingredients in this product are listed or are exempt for the TSCA Inventory list.

California Proposition 65: No California Proposition 65 chemicals are known to be present or intentionally added in the manufacture of this product.

15. OTHER INFORMATION

To the best of our knowledge the information contained herein is accurate. As the User has the responsibility to provide a safe workplace, a bulletin such as this cannot be expected to cover all possible individual situations. All aspects of an individual operation should be examined to determine when, if or where precautions are required in addition to those described herein. Any health hazard and safety information contained herein should be passed on to your customers or employees as applicable. The User is responsible to apply the information contained herein to develop adequate workplace guidelines and employee instructional programs for the individual operation and regulations. As such, Buyer assumes all risks of use, storage, and handling of the product in compliance with applicable federal, state, and local laws/regulations. DeEnterprises Inc. does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the User. All materials may present unknown hazards and should be used with caution. Although certain hazards have been detailed herein, DeEnterprises Inc offers no guarantee expressed or implied that these are the only potential hazards which may exist.